

CONTRACT AWARD NOTIFICATION

TITLE	Mobile Lactation Pods
CONTRACT NUMBER	RFB-WC-23195
CONTRACT PERIOD	May 15, 2025 to May 16, 2026
DATE OF ISSUE	May 16, 2025
COUNTY CONSUMER(S)	All County Departments, Participating Municipalities

The attached agreement has been extended with the vendor below at the same prices. The agreement is for **one year** with an option to extend the File Price up to 2 additional annual periods. The Mamava Original pod has been replaced with the Mamava Flex pod, pricing remains the same.

741220
Mamava, Inc.
180 Battery St., Suite 210
Burlington, VT 05401
Att: Suzie McKenna

Suziem@mamava.com
Tel: (317) 975-1530
Terms: Net 30
FOB: Destination
Del: 60 days

All equipment to be supplied must be consistent with the requirements outlined in New York State Labor Law, §206-c. This law expands the rights of nursing employees to express milk in the workplace.

The revised law requires each facility to provide, upon a nursing employee's reasonable request, a clean, well-lit, private and convenient space for nursing employees, other than a restroom or toilet stall, that provides the following amenities:

- A chair
- A working surface
- Nearby access to clean running water
- An electrical outlet
- Close proximity to the employee's work area
- Full shielding from view
- Freedom from intrusion from other persons in the workplace or the public. Ideally, but not mandated, that would be a private room with a lockable door.

—Address Inquiries To—

Name: Michael D'Agostino	Telephone: 914-231-1175
Title: Buyer	Fax: 914-231-1546
Email: MAD5@WESTCHESTERCOUNTYNY.GOV	Originally Issued: May 5, 2023

DELIVERED PRICING:

Unit #1 (small):	Mamava Solo <i>as described</i>	Delivered Price:\$13,000.00 each
Unit #2 (Medium):	Mamava Flex <i>as described</i>	Delivered Price:\$17,800.00 each
Unit #3 (Large):	Mamava XL <i>as described</i>	Delivered Price:\$24,400.00 each

OPTIONAL SERVICES AND EQUIPMENT:

The following options pertain to the Lactation Pods specified above:

SERVICE OPTIONS:

PRICING:

- | | |
|--|---------------------------------|
| 1. Installation Service for Unit 1: | \$2,000 per Pod |
| 2. Installation Service for Unit 2: | \$2,500 per Pod |
| 3. Installation Service for Unit 3: | \$2,500 per Pod |
| 4. One (1) year Service plan to include two (2) Service Visits*
(parts and Labor) | \$1,200.00 per Pod (all sizes) |
| 5. One (1) year Service Plan to include four (4) Service Visits*
(parts and labor) and one (1) Preventative Maintenance**
visit per year (all sizes) | \$2,500.00 per Pod (all sizes) |
| 6. Three (3) year Service Plan to include two (2) Service Visits*
per year (parts and labor) | \$2,700.00 per Pod (all sizes) |
| 7. Three (3) year Service Plan to include four (4) Service Visits*
(parts and labor) and one (1) Preventative Maintenance**
visit per year (all sizes) | \$6,750.00 per Pod (all sizes) |
| 8. Five (5) year Service Plan to include two (2) Service Visits*
per year (parts and labor) | \$4,000.00 per Pod (all sizes) |
| 9. Five (5) year Service Plan to include four (4) Service Visits*
(parts and labor) and one (1) Preventative Maintenance**
visit per year (all sizes) | \$10,000.00 per Pod (all sizes) |
| 10. Imprint County Logo on the door of each pod
(Graphics to be supplied) | |
| Unit 1 | \$1,100.00 per Pod |
| Units 2 & 3 | \$2,500.00 per Pod |

*Service Visits shall include a technician being sent to repair defects in pod material or workmanship to address a component failure under normal wear and tear. Parts and labor are covered. Quarterly Usage Reports are available under this plan for the Medium and Large Units only.


**Preventative maintenance visits are an annual tune up: includes a safety and function check, fan cleaning, battery replacements, and pod polishing.

Note: Quarterly Usage Reports are available under this plan for the Medium and Large Units only.

EQUIPMENT OPTIONS:

PRICING:

- | | |
|---|-----------------|
| 1. Medela Symphony PLUS Breast Pump | \$1,450.00 each |
| 2. Hand Sanitizer Bundle—includes:
wall mountable, battery operated,
touchless gel sanitizer dispenser and
one (1) gallon of sanitizer | \$50.00 each |
| 3. Sanitizing Wipes bundle—includes:
Sanitizing wipes, dispenser with
built-in Seven (7) gallon trash can | \$310.00 each |


Mamava Solo

- 4' W x 4" D x 7'4"
- 300 lb

See Spec page 2

Replaced with Mamava Flex
~~**Mamava Original**~~

- 7'3" W x 5'5" D x 7'3" H
- 474 lb

See Spec page 8

Mamava XL

- 9'5" W x 5'4" D x 7'3" H
- 900 lb

See Spec page 5

Exterior Materials

- Opaque walls provide user privacy
- Shatterproof aluminum composite material (ACM) and scratch-resistant expanded polyvinyl chloride sheet*
- Rigid vinyl wall panels with an expanded Polystyrene foam core*

Interior Materials + Features

- Food/hospital-grade surfaces for effective sanitization
- Built-in seating, shelf, mirror, coat hook
- Occupancy-activated lighting and ventilation fans
- Ventilation fan(s) provide 42dB of white noise
- Fold-down laptop desk*

Electrical

- UL Listed components
- Dual receptacle hospital-grade outlet(s) and 2 USB ports
- Power cord occupies one standard 15-amp (Solo) or 20-amp (XL/Original) 120v outlet
- Pods draw approximately 6.5 amps

Safety

- ASTM E-84 Flame Spread Rating is Class A for external materials
- Open-grid ceiling for fire suppression system coverage and perception of visible and audible alarms*
- Seismic bracketing system available*
- Fans capable of at least 35 ACH (Air Changes per Hour)
- ETL certified to UL STD 1286 and CSA STD C22.2#203*

Access + Occupancy

- Using Mamava's Smart Access technology, the app guides users to pods, indicates occupancy status and duration, provides vacancy alerts, and adjusts interior lights*
- Access with Mamava app or via external lock with numeric keypad*
- Pod control device (PCD) provides real-time occupancy status*
- Internal deadbolt with external occupancy status indicator
- XL model for wheelchair accessibility
- ZTU (Zero Transmission Unit) available for high security areas

Support + Service

- Third-party installation available
- Service plans + extended warranty available

Customization


- Fits compact refrigerator*
- Full graphic customization*
- Sanitization bundles available
- Medela Symphony PLUS* Breast Pump

Flexibility

- Retractable feet for easy leveling
- Built-in caster wheels allow for quick relocation (add-on with Solo)
- Plastic feet caps make it easy to move short distances*
- Disassemble and reassemble as needed

Request a quote online: mamava.com/contact/sales

**On select models*



mamava Solo

A sophisticated all-in-one lactation space solution designed for space efficiency and maximum comfort.

Easy compliance

Quick compliance with workplace lactation accommodation laws.

No construction disruption

Fully furnished prefabricated unit eliminates permitting, construction and hardwiring.

Flexible placement

A square footprint offers 90° rotation for placement flexibility

Maximum mobility

Plastic feet caps and optional caster wheels to move the pod short distances
Easy to disassemble and relocate as needs change

Simple installation

Assembled on-site by your team or our licensed installers.

Durable design

Rugged durability meets delightful design. Impact- and scratch-resistant materials are easy to clean

Access options

Two models to suit a variety of location and entry preferences.



Solo
Comes standard with Smart Access technology for controlled usage



Solo ZTU
Tech-free with keyless handle and interior deadbolt

sales@mamava.com
(802) 347-2111

www.mamava.com



Certified B Corporation, Assembled in U.S.A.
The curved lactation suite design is a TM/SM of Mamava, Inc. All rights reserved

Spec page 2 of 11

Key Features


Noise dampening roof panel

Occupancy-activated fan

Solid walls for privacy

Shatterproof mirror


Deadbolt with exterior
occupancy indicator



Shelf with
integrated
power and USB
outlets

Ergonomic
cushioned
seat with
non-absorbing
antimicrobial
fabric

Coat hook



Occupancy-
activated
indirect lighting

Fold-down
laptop desk



Specs

Dimensions

4' W x 4' D x 7' 4" H (Pod height does not include a 4" antenna, which can be folded down to 1/2")

16 sq ft

300 lb

4' 8" - 5' 8" step-up threshold

32" door swing

Minimum 8' ceiling clearance required for assembly

Electrical

UL Listed components

4' power cord occupies one standard 15A 120v outlet

Draws approximately 6.5A

Testing + safety

ASTM E-84 Flame Spread Rating is Class A for walls and Class B for recycled plastic felt roof

Interior and exterior walls, shelf, desk and seat base meet UL Greenguard Gold rating

Floor meets GreenAir formulation for low VOCs and FMVSS 302 for flammability

Chair fabric is PVC free with no VOCs and compliant with California Technical Bulletin #117-2013 for flammability

Meets NFPA Section 9.2.10

Mobility

Four (4) adjustable leveling feet can raise the pod up to 1"

Plastic feet caps make it easy to move short distances on carpet or solid surface floors

Optional caster wheels available

Simple to disassemble and store as needs change

Exterior materials + features

Rigid vinyl wall panels with an expanded Polystyrene foam core

Standard direct-print white oak finish graphics

32" right-hand door swing with adjustable self-closing spring hinges

Recycled plastic felt roof for acoustic noise dampening

Interior materials + features

43" W x 8" D commercial-grade laminate shelf with integrated dual receptacle outlet and 2 USB ports

24" W x 16" D fold-down laptop desk made from commercial-grade laminate with soft-close hinges

Built-in shatterproof mirror made of reflective coated aluminum composite material (ACM)

34" wide contoured ergonomic seat (with Matrex internal support system) made of non-absorbing, antimicrobial polyurethane fabric

UL Listed ventilation fan provides air exchange rates of 55 ACH and 42dB of white noise

Stainless steel coat hook holds up to 30 lb

Two (2) 3" occupancy-activated UL Listed LED strip lights

Low-VOC composite wood and aluminum floor pan with vinyl covering

Deadbolt lock with exterior occupancy indicator

Access technology

Solo


Mamava's Smart Access technology for easy wayfinding, autonomous access, occupancy status, duration of use, and vacancy alerts

Alternative controlled autonomous access via customizable numeric keypad on external lock

Usage data available with the purchase of a Mamava Service Plan

Solo 2TU

Tech-free with a keyless handle and interior deadbolt (Zero Transmission Unit for secure areas)



mamava
XL

A spacious all-in one lactation space solution designed for public venues or larger workplaces.

Easy compliance

Quick compliance with workplace lactation accommodation laws.

No construction disruption

Fully furnished prefabricated unit eliminates permitting, construction and hardwiring. Assembled on site by your team or our licensed installers.

Smart Access

Breastfeeding parents can find and unlock Mamava pods, check availability, get vacancy alerts, and adjust interior lights with our free app.

Maximum mobility

Built-in caster wheels make it easy to move the pod short distances. Simple to disassemble and relocate.

Sanitary and easy to clean

Smooth, seamless solid surfaces without any cloth or crevices. Interior fans capable of at least 35 ACH (Air Changes per Hour).

Customizable

Choose from a selection of interior and exterior graphics options, seating and storage configurations, roof panels and accessories.



Graphics: Choose our Dreamscape stock design or mix-and-match options with our Built-to-Order tier. Want a completely unique pod? Design your own Custom Graphics or ask Mamava's Design Services to help!

sales@mamava.com
(802) 347-2111

Mamava, the leading expert in lactation space design, provides dignified lactation accommodations and breastfeeding resources for employers and organizations around the world. Our mission is to create a healthier society through infrastructure and support for breastfeeding.


www.mamava.com



Certified B Corporation, Assembled in U.S.A.
The curved lactation suite design is a TM/SM of Mamava Inc. All rights reserved.


Spec page 5 of 11


Key Features



*Single bench

Cabinetry modification available for storage or compact refrigerator





Specs

Dimensions

9'5" W x 5'4" D x 7'3" H
50 sq ft
900 lb
36" door swing (recommend 60" clearance in front of the door and 18" clearance on the latch side)

Exterior materials + features

Front and back wall panel made of aluminum composite material (ACM) with a foam core

Curved side panels made of scratch-resistant expanded polyvinyl chloride sheet (EPVC)

Front and side direct-print graphics (customization available)

Roof pan made of ACM with perforated sections

Interior materials + features

All food/hospital-grade surfaces with rounded corners for effective sanitation; no fabric or upholstery

Two (2) 40" wide, built-in, acrylic composite benches

Large acrylic composite counter (two 19"D x 37"W end pieces connected by 9"D x 36"W middle piece)

Two (2) dual receptacle hospital-grade outlets and 2 USB ports

Built-in shatterproof mirror made of reflective coated aluminum composite material (ACM)

Aluminum coat hook holds up to 25 lb

Four (4) UL Listed occupancy-activated lights, adjustable with the Mamava app

Two (2) UL Listed ventilation fans provide 42dB of white noise and are capable of a r change rates of at least 35 ACH

Aluminum floor pan with vinyl covering

Deadbolt lock with exterior occupancy indicator

Cubby model available to fit compact refrigerator (20"W x 18"D x up to 25"H) or storage compartment

Electrical

UL Listed components

6'7" power cord occupies one standard 20A 120v outlet

Requires a 20A circuit and draws approximately 6.5A

Access technology

Access with Mamava app or via numeric keypad on external lock

Using Mamava's Smart Access technology, the app guides users to pods, indicates occupancy status and duration, and provides vacancy alerts

ZTU (Zero Transmission Unit) available for high security areas

Mobility

Eight (8) retractable feet assist leveling the pod up to 1"

Four (4) built-in caster wheels for relocation

Accessibility:

Features compatible IAW 2010 ADA Standards:

Mirror placement meets 603.3

Clear turning space meets 304.3.1 (circular space) and 304.3.2 (t-shaped space with knee clearance in accordance with 306.3)

Clear floor and ground space meets 305 (parallel or straight approach)

Door clearance width meets 404.2.3

Door threshold meets 404.2.5

Door hardware meets 404.2.7

Grab bars are sized and spaced to meet 609.2.1

Pod is designed for the perception of both audible and visible alarms to meet 215

Door closer arm meets 404.2.8 and 404.2.9; closing speed and opening force respectively

Additional California Building code compliance:

Door hardware meets CBC CBC 11B-404.2.7

Testing + safety

ETL certified to UL STD 1286 and CSA STD C22.2#203

ASTM E-84 Flame Spread Rating is Class A for all external materials (walls and ceiling)

Seismic bracketing system available

Model available to meet NFPA 13 Section 9.3.10 Standards

mamava Flex

A versatile all-in-one lactation space solution designed for workplaces and public spaces.



mamava Flex

**Solid walls
for privacy**

**Deadbolt lock with
occupancy indicator**

**Smart Access with Mamava
app, keypad, or key**

**Caster wheels
for easy relocation**

Noise dampening roof panel

Occupancy-activated fan

**Passive ambient
lighting**

**Occupancy-activated
indirect lighting**

Coat hooks

Shatterproof mirror

**Shelf with integrated
power and USB outlets**

**Anchoring point for
multi-user breast pump**

**Ergonomic cushioned seat
with nonabsorbent fabric**

**Space for seating,
compact refrigerator
or storage**

Flush entry



UPGRADES



Medela Pump + Parent Kits
A multi-user, hospital-grade Symphony PLUS® Breast Pump and optional kits.



Professional Installation
Our team of expert installers can take care of pod assembly for you.



Seismic Bracketing Kit
Anchors the pod to the floor to meet building safety requirements.

STANDARD FINISHES



Exterior
White Oak (vinyl)





Flooring
Vinyl Covering



Nonabsorbent Seat
Polyurethane



Interior Graphics
Dreamscape



Dimensions

Exterior: 6'7" W x 3'8" D x 7'9" H
(Includes pod and antenna height)

Interior: 24 sq ft; 6'3" W x 3'4" D x 6'11" H;
415 lb

32" door swing

Shipping crate: 4'7" W x 7'10" D x 3'10"
H; 755 lb

Minimum 7'9" ceiling clearance required
for assembly

Exterior materials + features

Rigid vinyl wall panels with expanded
Polystyrene foam core

Standard direct-print white oak finish

32" right-hand door swing with
adjustable self-closing spring hinges

Recycled plastic felt roof for
noise dampening

Interior materials + features

6'3" W x 10" D commercial-grade
laminate shelf with two (2) integrated
outlets with dual USB ports

Built-in shatterproof mirror

30" W contoured ergonomic seat (with
Matrex internal support system) made of
nonabsorbent polyurethane fabric. 300 lb
weight limit

30" W x 20" D bench to fit compact
refrigerator (20" W x 19" D x up to 25" H),
storage, or serve as additional seating

UL Listed ventilation fan provides air
exchange rates of 35 ACH and 35dB
of white noise

Two (2) stainless steel coat hooks,
each holding up to 30 lb

Two (2) 3' occupancy-activated UL Listed
LED strip lights

Vinyl floor

Deadbolt lock with exterior occupancy
indicator

Passive ambient lighting

Anchoring point for multi-user breast
pump

Electrical

UL Listed components

4' GFCI-protected power cord (exiting
lower left back) occupies one standard
15A (or 20A) 120V outlet

Draws approximately 6.5A

Mobility

Four (4) adjustable feet assist leveling
the pod up to 1"

Four (4) built-in caster wheels allow for
relocation

Disassemble and store as needed

Testing + safety

ETL certified to UL STD 962 and CSA
STD C22.2#203

ASTM E-84 Flame Spread Rating is Class
A for walls and Class B for recycled
plastic felt roof

Meets NFPA 13 Section 9.2.10 Standards

Interior and exterior walls, shelf, and seat
base meet UL Greenguard Gold rating

Floor meets GreenAir formulation for low
VOCs and FMVSS 302 for flammability

Chair fabric is PVC and VOC free.

Compliant with California Technical
Bulletin #117-2013 for flammability

Complies with UL 962 spill tests

Seismic bracketing kit available

Accessibility features compatible IAW 2010 ADA Standards

Door threshold meets 404.2.5

Door hardware meets 404.2.7

Door surfaces meet 404.2.10

Pod is designed for the perception
of both audible and visible alarms to
meet 215

Access technology

Access with Mamava app, numeric
keypad on external lock, or key

Mamava's Smart Access technology for
easy wayfinding, autonomous access,
occupancy status, duration of use, and
vacancy alerts

ZTU (Zero Transmission Unit) available
for high security area

Usage data available with the purchase
of a Mamava Service Plan